



36.6 m (120 Ft) Boom | 96.5 Tonne Counterweight | Two Fall




41.2 m (135 ft) Boom 96.5 Tonne Counterweight | Two Fall

[illegible]


50.4 m (165 Ft) Boom 96.5 Tonne Counterweight | Two Fall

METRIC TONNES




	4.8	9.1	12.2	15.2	18.3	21.3	24.4	27.4	30.5	33.5	39.3	40.0	42.7	45.0	48.8	49.7	50
FAVCO M900	64.1	64.1	64.1	64.1	63.2	56.9	48.5	42.1	37.0	32.9	29.5	26.5	24.1	22.0	19.9	19.6	
LIEBHERR 710	60	60	60	60	45.75	40.555	35.36	31.785	28.21	22.92	20.875	18.83	17.18	15.53	14.315	13.71	13.1
WOLFF 1250B	40	40	40	40	40	40	40	40	40	40	40	39.3	36.95	34.6	32.7	31.75	30.8

55.0 m (180 Ft) Boom 96.5 Tonne Counterweight | Two Fall




FAVCO M900	64.1	64.1	64.1	64.1	63.1	56.8	48.5	42.0	36.9	32.7	29.2	26.3	23.8	21.8	19.9	18.4	17.6	
LIEBHERR 710	54	54	54	54	43.12	38.21	33.3	29.915	26.53	21.54	19.61	17.68	16.13	14.58	12.02	11.06	10.1	
WOLFF 1250B	40	40	40	40	40	40	40	40	40	40	40	38.1	35.8	33.5	29.8	28.25	27.475	26.7

59.6 m (195 Ft) Boom 96.5 Tonne Counterweight | Two Fall




64.2 m (210 Ft) Boom 96.5 Tonne Counterweight | Two Fall



73.4 m (241 Ft) Boom 96.5 Tonne Counterweight | Two Fall

METRIC TONNES



	7.5	9.1	12.2	15.2	18.3	21.3	24.4	27.4	30.5	33.1	35.0	40.0	42.7	45.0	50.0	51.8	55.0	57.9	60.0	65	67.1	70	71.9	75
FAVCO M900	42.5	41.3	39.5	37.9	36.2	34.8	33.5	32.3	31.0	29.0	26.0	23.2	20.8	18.8	17.0	15.3	13.9	12.5	11.4	10.4	9.5	8.7	8.4	
LIEBHERR 710HC	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
WOLFF 1250B	40	40	40	40	40	40	40	40	40	40	37.4	31.9	29.7	27.5	24.1	22.7	21.2	20	18.8	16.8	16	15.1	14.4	13.6